

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## INDEX TO VOLUME 12.

American Mycological Society, New Orleans Meeting January 1, 1906. (C. L. Shear). 85.

Anthracnose, A New, of Alfalfa and Red Clover. Samuel M. Bain and Samuel H. Essary. 192.

Arthur, J. C. A New Classification of the Uredinales. 188.

Arthur, J. C. Cultures of Uredineae in 1905. 11. Arthur J. C. Reasons for Desiring a Better Classification of the Uredinales. 149.

Atkinson, Geo. F. A New Species of Entoloma from Central Ohio. 237.

Atkinson, Geo. F. Two New Species Belonging to Naucoria and Stropharia. 193. Bain, Samuel M. and Essary, Samuel H. A New Anthracnose

of Alfalfa and Red Clover. 192.

Bates, J. M. Rust Notes for 1905. 45.

Bessey, Ernst A. Dilophospora alopecuri. 57.

Bubák, Fr. Einige neue Pilze aus Nord America. 52.

Charles, Vera K. Occurrence of Lasiodiplodia on Theobroma cacao and Mangifera indica 145.

Classification of the Uredinales, Reasons for Desiring a Better. I. C. Arthur. 149.

Cronartium quercuum (Berk.), Peridermium cerebrum Peck and. C. L. Shear. 89.

Culture Experiments (Kellerman), see Uredineae, 9.

Cultures of Uredineae in 1905. J. C. Arthur. 11.

Descriptive Synopses of Morgan's North American Species of Marasmius. 159.

Dilophospora alopecuri. Ernst A. Bessey. 57.

Einige neue Pilze aus Nord America. Fr. Bubák. 52.

Entoloma, A new species of, from Central Ohio. Geo. F. Atkinson. 237.

Ellis, Job Bicknell — Obituary. W. A. Kellerman. 41.

Field Notes on the Uredineae. A. O. Garrett. 162.

Fungi Selecti Guatemalenses. First decade. W. A. Kellerman. 238.

Fungi, Some Wood-staining, from Various Localities in the United States. Geo. G. Hedgcock. 204.

Galera, A New Species of. Charles H. Peck. 148.

Garrett, A. O. Field Notes on the Uredineae. 162.

Hedgcock, Geo. G. Some Wood-staining Fungi from Various Localities in the United States. 204.

Hedgcock, Geo. G. and Spaulding, Perley. A New Method of Mounting Fungi Grown in Cultures for the Herbarium.

Heliomyces, North American Species of. A. P. Morgan. 92.

Index to North American Mycology. W. A. Kellerman. 67, 102, 221, 247.

Kellerman, W. A. A New Plowrightia from Guatemala. 185. Kellerman, W. A. Fungi Selecti Guatemalenses, First Decade. 238.

Kellerman, W. A. Obituary — Job Bicknell Ellis. 41.

Kellerman, W. A. Index to North American Mycology. 67, 102, 221, 247.

Kellerman, W. A. Notes from Mycological Literature, XVII, XVIII, XIX, XX, XXI, 32, 80, 128, 164, 211.

Kellerman, W. A. Mycological Expedition to Guatemala. 137. Kellerman, W. A. Uredineous Culture Experiments with Puccinia sorghi 1905. 9.

Lasiodiplodia on Theobroma cacao and Mangifera indica, Occurrence of. Vera K. Charles. 145.

Lepiota, North American Species of. A. P. Morgan. 154, 195, 242.

Long, W. H. Notes on New or Rare Species of Ravenelia. 233.

Marasmius, North American Species of. A. P. Morgan. 1.

Mycromycetes americani Novi. P. A. Saccardo. 47.

Morgan, A. P. North American Species of Heliomyces. 92. Morgan, A. P. North American Species of Lepiota. 154, 195, 242.

Morgan, A. P. North American Species of Merasmius. 1.

Mounting Fungi Grown in Cultures for the Herbarium, A New Method of. Geo. G. Hedgcock and Perley Spaulding. 147. Mycological Expedition to Gautemala. W. A. Kellerman. 137. Mycological Society, American, New Orleans Meeting, January

1, 1906. (C. L. Shear). 85.

Naucoria and Stropharia, Two New Species belonging to Geo. F. Atkinson. 193.

North American Species of Heliomyces. A. P. Morgan. 92. North American Species of Lepioota. A. P. Morgan. 154, 195, 242.

North American Species of Marasmius. 1.

Note on Wynnea Americana. D. R. Sumstine. 59.

Notes from Mycological Literature XVII, XVIII, XIX, XX, XXI. W. A. Kellerman. 32, 8, 128, 164, 211.

Notes on New or Rare Species of Ravenelia. W. H. Long. 233.

Neue Pilze, einige, aus Nord America. Fr. Bubak. 52.

New Anthracnose of Alfalfa and Red Clover. Samuel M. Bain and Samuel H. Essary. 192.

New Classification of Uredinales. J. C. Arthur. 188.

New Method of Mounting Fungi Grown in Cultures for the Herbarium. Geo. G. Hedgcock and Perley Spaulding. 147. New Plowrightia from Gautemala. W. A. Kellerman. 185. New Species of Entoloma from Central Ohio. Geo. F. Atkinson.

New Species of Galera. Charles H. Peck. 148.

New Species belonging to Naucoria and Stropharia. Geo. F. Atkinson. 193.

Obituary. Job Bicknell Ellis. W. A. Kellerman. 41.

Occurrence of Lasiodiplodia on Theobroma cacao and Mangifera indica. Vera K. Charles. 145. Peck, Charles H. A New Species of Galera. 148.

Peridermium cerebrum Peck and Cronartium quercuum (Berk). C. L. Shear. 89.

Peziza fusicarpa Ger. and Peziza semitosta B. & C. Elias J. Durand. 288.

Pleurotus hollandianus sp. nov. D. R. Sumstine. 59.

Plowrightia, A New, from Gautemala. W. A. Kellerman. 185. Ravenelia, Notes on New or Rare Species of. W. H. Long. 233. Reasons for Desiring a Better Classification of the Uredinales. J. C. Arthur. 149.

Ricker, P. L. Second Supplement to New Genera of Fungi published since the year 1900, with citation and the original descriptions. 60, 95.

Rust Notes for 1905. J. M. Bates. 45.

Saccardo, P. A. Micromycetes Americani Novi. 47.

Second Supplement to new Genera of Fungi published since the year 1900, with citation and the original descriptions. P. L. Ricker, 60, 95.

Shear, C. L. Peridermium cerebrum Peck and Cronartium ing, January 1, 1906. 885.

Shear, C. L. American Mycological Society, New Orleans, meeting, January 1, 1906. 885.

Shear, C. L. Periderminum cerebrum Peck and Cronartium quercuum (Berk.) 889.

Stropharia and Naucoria, Two new species belonging to. Geo. F. Atkinson. 193.

Sumstine, D. R. Pleurotus hollandianus sp. nov. 59.

Sumstine, D. R. Note on Wynnea americana. 59.

Synopses of Morgan's North American Species of Marasmius. 159.

Uredinales, A new classification of the. J. C. Arthur. 188. Uredineous Culture Experiments with Puccinia sorghi 1905. W.

A. Kellerman. 9.

Uredineae, Cultures of, in 1905. J. C. Arthur. 11. Uredineae, Field Notes on the. A. O. Garrett. 162.

Wood-staining Fungi from various Localities in the United States. Geo. G. Hedgcock. 204.

Wynnea Americana, Note on. D. R. Sumstine. 59.

## INDEX TO DESCRIBED SPECIES.

(The new species are in black type.)

Agaricus clypeolarius Bull., p. 197. Agaricus conspurcata Willd., 243. Agaricus cristatus Bolton, 243. Agaricus epiphyllus Pers., 3. Agaricus fuscosquameus Morg., 246.Agaricus graminum Lib., 1. Agaricus languidis Lasch., 4. Agaricus merulinus Bertero, 8. Agaricus metulaesporus B. & B., 198. Agaricus nigripes Schw., 93. Agaricus perforans Hoffm., 3. Agaricus saccharinus Batsch, 2. Amanita aspera Pers., 200. Bonanseja, n. gen., 50. Bonanseja mexicana Sacc., 51. Ceratopodium album Corda, 208. Ceratostoma fairmani Sacc., 49. Ceratostomella capillifera Hedg., Ceratostomella schrenkiana Hedg., Ceratostomella echinella E. & E., Ceratostomella exigua Hedg., 206. Ceratostomella minor Hedg., 206. Ceratostomella moniliformis Hedg., 206. Ceratostomella pilifera (Fr.) Wint., 204. Ceratostomella pluriannulata Hedg., 205. Cercospora coleroides Sacc., 52. Colletotrichum trifolii Bain, Dilophospora alopecuri (Fr.) Fr., Entoloma subcostatum Atkinson, 237. Erostella transversa Sacc. et Fairm., 48. Fusarium roseum Link, 209. Fusidium roseum Link, 209. Galera kellermani Peck. 148. Gloeosporium apiosporium Sacc., 51. Graphium album (Corda) Sacc., 208.Graphium ambrosiigerum Hedg., Graphium atrovirens Hedg., 207. Graphium aureum Hedg., 208. Graphium eumorphum Sacc., 207. Graphium rigidum (Pers.) Sacc., 208.

Graphium smaragdinum (H. & S.) Sacc., 207. Haplosporella missouriensis Bubak, 54. Heliomyces Lév., 92. Heliomyces bertoroi Lév., 93. Heliomyces decolorans B. & C., Heliomyces foetens Pat., 93. Heliomyces nigripes Morgan, 93. Heliomyces plumierii Lev., 93. Heliomyces vialis Morgan, 94. Helminthosporium orthosporum Sacc. et Fairm., 50. Hendersonia mexicana Sacc., 51. Hormiscium gelatinosum Hedg., 210.Hormodendron cladosporioides (Fr.) Sacc.. 209. Hormodendron oriseum Hedg., Hypoxylon pumilio Sacc. et Fairm., 47. Lachnea fusicarpa (Ger.) Sacc., Lachnea hainesii (Ell.) Sacc., 31. Lepiota Persoon, 155. Lepiota acerina Peck, 201. Lepiota adnatifolia Peck, 195. Lepiota alluviina Peck, 243. Lepiota amianthina Scop., 195. Lepiota angustana Britzl., 244. Lepiota aspera Pers., 200. Lepiota arenicola Peck, 243. Lepiota asprata Berk., 200. Lepiota asperula Atks., 201. Lepiota brunnescens Peck, 274. Lepiota caerulescens Peck, 245. Lepiota candida Morgan, 202. Lepiota carcharias Pers., 199. Lepiota cheimonoceps B. & C., 157.Lepiota clypeolaria (Bull.) Peck, Lepiota conspurcata Willd., 243. Lepiota cristatella Peck, 156. Lepiota cultorum B. & C., 196. Lepiota cyanozonata Longyear, 157. Lepiota delicata Fr., 202. Lepiota echinodermata Cke. Mass., 200. Lepiota ecitodora Atks., 158. Lepiota eriophora Peck, 201. Lepiota erythrella Speg., 245.

Lepiota erythrella virescens Speg., Lepiota felina Pers., 199. Lepiota felinoides Peck, 247. Lepiota floralis B. & Rav., 198. Lepiota fulvaster B. & C., 244. Lepiota fulvodisca Peck, 203. Lepiota fuscosquamea Peck., 201. Lepiota gemmata Morgan, 202. Lepiota glatfelteri Peck, 248. Lepiota glisschra Morgan, 203. Lepiota gracilis Peck, 199. Lepiota granosa Morgan, 196. Lepiota granulosa Batsch., 196. Lepiota hemisclera B. & C., 200. Lepiota illinita Fr., 203. Lepiota incarnata Clements, 245. Lepiota mesomorpha Bull., 156. Lepiota metulispora B. & Br., 198. Lepiota miamensis Morgan, 242. Lepiota mutata Peck, 243. Lepiota neophana Morgan, 248. Lepiota noscitata Britzlm., 157. Lepiota oblita Peck, 203. Lepiota parvanulata Lasch., 157. Lepiota phaeosticta Morgan, 248. Lepiota pulveracea Peck, 158. Lepiota purpureoconica Atks., 158. Lepiota pusillomyces Peck, 158. Lepiota repanda (Clements) Morgan, 197. Lepiota rubrotincta Peck, 245. Lepiota rufescens Morgan, 246. Lepiota rufipes Morgan, 156. Lepiota rugoso-reticulata Lor., 195. Lepiota seminuda Lasch., 157. Lepiota sordescens B. & C., 247. Lepiota spanista Morgan, 198. Lepiota subclypeolaria B. & C., 246.Lepiota subliliacea Peck, 198. Lepiota umbrosa Morgan, 199. Lepiota virescens Speg., 245. Leptosphaeria perplexa Sacc. et Fairm., 49. Leptospora sparsa Sacc. Fairm., 49. Leptothyrium californicum Bubak, 55. Leptothyrium kellermanni Bubak, 55. Leptothyrium pazschkeanum Bubak, 55. Macropodia fusicarpa (Ger.) Dur., 29. Macropodia pubida (B. & C.) Sacc., 29.

Macropodia semitosta (B. & C.) Sacc., 31. Marasmius aculeatus Pat., 6. Marasmius albiceps Peck, 5. Marasmius albo-fuscus B. & C., 5. Marasmius arachnoideus B. & C., Marasmius asperifolius Pat., 8. Marasmius atro-rubens Berk., 2. Marasmius caespitosus Peck, 7. Marasmius calosporus Pat., 8. Marasmius chrysochaetes B. & C. Marasmius clavaeformis Berk., 6. Marasmius concolor B. & C., 7. Marasmius coracipes B. & C., 7. Marasmius curreyi B. & Br., 1. Marasmius curtisii Sacc. et Syd., Marasmius cyathiformis B. & C., Marasmius decurrens Peck, 6. Marasmius epiphyllus Fr., 3. Marasmius felix Morgan, 2. Marasmius graminum B. & Br., 1. Marasmius haematoides B. & C., Marasmius hawaiensis P. Hen., 8. Marasmius hyperellus Fr., 4. Marasmius insitius Fr., 2. Marasmius languidis Fr., 4. Marasmius leucocephalus Mont. Marasmius merulinus B. & C., 8. Marasmius minutissimus Peck, 3. Marasmius nidulus B. & C., 8. Marasmius nigripes Fr., 93. Marasmius obliquus B. & C., 7. Marasmius perforans Fr., 3. Marasmius purpurascens B. & C., Marasmius purpureus B. & C., 6. Marasmius sabali Berk., 8. Marasmius saccharinus Fr., 2. Marasmius semisparsus Berk., 5. Marasmius thujinus Peck, 2. Marasmius semiustis B. & C., 7. Marasmius tomentosipes Peck, 5. Marasmius vaillantii Fr., 3. Marasmius vialis Peck., 94. Marasmius viridi-fuscus B. & C., Mastocephalus carneo-annulatus Clements, 245. Mastocephalus incarnatus, 245. Mastocephalus repandus Clements, 197. Micropora ameplina Sacc. et Fairm., 49.

Naucoria paludosella Atkinson, Otthiella fairmani Sacc., 48. Penicillium aurem Corda, 210. Penicillium cladosporioides Fr., Peziza fusicarpa Ger. 29. Peziza hainesii Ell., 31. Peziza morgani Mass., 29. Peziza pubida B. & C., 29. Peziza semitosta (B. & C.) Sacc., Peziza velutina B. & C. (ined.), Phleospora hanseni Bubak., 54. Phoma lophanthi Bubak., 53. Phomopsis missouriensis bak, 53. Phyllosticta consors Sacc., 51. Phyllosticta convexula Bubak, 52. Pleurotus hollandianus Sum-

stine., 59.

Plowrightia williamsoniana Kellerm., 186. Pseudostegia n. gen., 56. Pseudostegia nubilosa Bubak, Puccinia ptilosiae Bubak, 52. Ravenelia arthuri Long, 234. Ravenelia piscidiae Long, 234. Rhabdospora demetriana Bubak, 54. Rosellina elaeospora Sacc. et Fairm., 48. Saitomyces Ricker n. n., 61. japonicus (Saito) Saitomyces Ricker, 61. Sarcoscypha pubida B. & C., 29. Sarcoscypha semitosta B. & C., 31. Stropharia hardii Atkinson, 194. Verticillium discisedum Sacc. et Fairm., 50. Wynnea americana Thax., 59. Xylaria brevipes Sacc. Fairm., 47.

## INDEX TO HOSTS.

Agave americana. p. 187. Aguacate. 51. Anona cherimolia. 51. Arctostaphylus tomentosa. Asclepias verticillata. 53, 55. Betula, cortex. 48. Carya tomentosa. 53. Carex sp. 56. Casimiroa edulis. 52. Elm, sapwood. 209. Fagus atropunicea, wood. 205. $2\overline{0}9.$ Gum, sapwood. 209. Lachnea hemispherica. 50. Liquidambar styraciflua L. 205, 207, 208, 210. Lophanthus nepetoides. Madrona de árbol. 51. Morus alba. 51. 193. Medicago sativa. Oak, sapwood. 209.

Persea gratissima. 51. Persica vulgaris. 54. Pine, sapwood. 209. Pinus arizonica, wood. 206. Pinus echinata, wood. Pinus ponderosa, wood. 204. Pinus strobus, wood. 210.Pinus viriginiana, wood. Piscidia erythrina. 234. Ptilosia lactucina. 52. Quercus morehus. 55. Quercus rubra, wood. 206, 208. Rubus strigosus, wood. 207. Sassafras officinalis. 55. Solidago, dead stems. 49. Species indet. 234. Trifolium pratensis. Vitis vinifera. 50. Zapote blanco. 52.